

SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identity: Synonym: Product Use: EPA Registration No.: Product Type: Company Name: Company Address: Tel: Fax: Emergency Contact:	TEBUJECT 16 [™] Systemic Fungicide None Systemic Insecticide for tree injection only 7946-?? Liquid J. J. MAUGET COMPANY 5435 PECK ROAD ARCADIA, CA 91006-5847 626-444-1057 626-444-7414 INFOTRAC 1-800-535-5053 911
	2. HAZARDS IDENTIFICATION
Physical hazards Health hazards	Flammable liquids Category 3 Acute toxicity, oral Category 1 Acute toxicity, dermal Category 3 Acute toxicity, inhalation Category 2 Serious eye damage/eye irritation Category 2B Sensitization, skin Category 1 Hazardous to the aquatic environment, acute Category 1 Hazard
Environmental hazards	Hazardous to the aquatic environment, Category 1 long-term hazard
OSHA defined hazards Label elements	Not classified.
Signal word	Danger
Hazard statement	Fatal if swallowed. Toxic in contact with skin. Fatal if inhaled. Causes eye irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary state Prevention	Reep away from heat/sparks/open flames/hot surfaces No smoking. Do not breathe vapor. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing. Wear protective gloves/eye protection/face protection. Wear respiratory protection.
Response	If swallowed: Immediately call a poison center/doctor. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable
	Version 10/06/15



Version 10/06/15

Product Name:	Inject-A-Cide B™		Page 2 of 13	
	for breathing. If in eyes: Rinse cautious Remove contact lenses, if present and Immediately call a poison center/doctor this label). Rinse mouth. If eye irritation advice/attention. Take off immediately a before reuse. In case of fire: Use appro- spillage.	easy to do. Contin . Specific treatmer persists: Get med all contaminated cl	ue rinsing. It is urgent (see ical othing and wash it	
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Hazard(s) not otherwise classified (HNOC)	None known.			
Supplemental information	United States Environmental Protection This chemical is a pesticide product reg Environmental Protection Agency and i requirements under federal pesticide la theclassification criteria and hazard info sheets (SDS), and forworkplace labels hazard information required on the pes pesticide label also includes other impo- directions for use.	gistered by the Unit s subject to certain w. These requirem ormation required for of non-pesticide ch ticidelabel is reprod	ted States labeling ents differ from or safety data nemicals. The duced below. The	
	HAZARDS TO HUMANS AND DOMESTIC ANIMALS.			
	 DANGER: Fatal if swallowed, inhaled or absorbed trough the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. ENVIRONMENTAL HAZARDS This pesticide is highly toxic to birds and mammals. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Keep out of lakes, ponds, and streams. Do not contaminate water when disposing of equipment washwaters or rinsate. The product is toxic to bees exposed to direct treatment on blooming corps or weeds. See the label for more complete information. Do not apply if bees a visiting the treatment area. Do not spray border areas. Keep border areas within 25 feet of field free of bird feed and shelter. Birds feeding on treated area may be killed. do not use whenever large flocks of birds are in the vicinity or when they are noted feeding in or around fields. 			
	PHYSICAL OR CHEMICAL HAZARDS			
	Combustible. Do not use or store near	heat of open flame		
3. <u>COMF</u>	OSITION/INFORMATION ON	INGREDIENT	<u>'S</u>	
Mixtures Chemical name Co Dicrotophos Isopropanol	ommon name and synonyms	CAS number 141-66-2 67-63-0	% 82	

Inject-A-Cide B™

4. FIRST AID MEASURES

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Call a physician or poison control center immediately.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Have person sip a glass of water if able to swallow Do not induce vomiting without advice from poison control center. Never give anything by mouth to a victim who is unconscious or is having convulsions. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance.
Most important symptoms/effects, and delayed	This is a cholinesterase inhibiting organophosphorous pesticide. Acute cholinesterase depression may be evidenced by headache, nausea, acute vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.
	This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. these include: (for plasma) chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemia.
	Repeated exposures to small doses of organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.
Indication of immediate medical attention and treatment needed	This product is an Organophosphate (OP) Insecticide. Do not handle the patient without the following protective equipment in place: chemical special resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information. Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minutes intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Avoid morphine, aminophylline, phenothiazine, reserpine,



Version 10/06/15

Product Name:	Inject-A-Cide B™	Page 4 of 13
	furosemide and ethacrynic acid. Clear chest by postural d administration may be necessary. Observe patient contine Repeated exposure to cholinesterase inhibitors may withor prolonged susceptibility very small doses of any cholinest Allow no further exposure until time for cholinesterase reg been attained as determined by a blood test. Bathe and s contaminated skin and hair. If ingested, empty stomach; a is useful to further to further limit absorption. If victim is all (2 tablespoons in adults, 1 tablespoon in small children) is symptoms such as loss of gag reflex, convulsions, or unco occur before emesis, gastric lavage should be considered intubation with a cuffed indotracheal tube.	uously for 48 hours. but warning cause erase inhibitor. generation has hampoo activated charcoal ert, Syrup of Ipecac s indicated. If onsciousness
General information	This product is a severe Cholinesterase Inhibitor. A physic contacted in all cases of exposure to the technical and its Ensure that medical personnel are aware of the material take precautions to protect themselves. Show this safety the doctor in attendance. Immediate medical attention is r shortness of breath, give oxygen. Keep victim warm. Keep observation.	formulations. s) involved, and data sheet to equired. In case of
	5. FIRE FIGHTING MEASURES	
Suitable extinguishing Media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing Media	Do not use water jet as an extinguisher, as this will spread	d the fire.
Specific hazards arising from the chemical	Vapors may travel considerable distance to a source of ig back. During fire, gases hazardous to health may be form chloride, carbon oxides and unidentified organic compour when it is heated excessively or burned. Do not breathe g vapor.	ed. Hydrogen nds may be formed
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clor in case of fire.	thing must be worn
Fire fighting equipment/instructions	Immediately evacuate personnel to safe areas. Keep upw and/or explosion do not breathe fumes. Move containers can do so without risk. Water runoff can cause environme	from fire area if you
Specific methods	Use standard firefighting procedures and consider the haz involved materials.	zards of other
General fire hazards	Flammable liquid and vapor.	
6.	ACCIDENTAL RELEASE MEASURES	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from spill/leak. Keep out of low areas. Eliminate all ignition sour flares, sparks, or flames in immediate area). Wear appropriate equipment and clothing during clean-up. Do not get in eye clothing.Do not breathe mist. Do not touch damaged cont material unless wearing appropriate protective clothing.	rces (no smoking, priate protective es, on skin, on ainers or spilled

equipment and clothing during clean-up. Do not get in eyes, on skin, on clothing.Do not breathe mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if spillages significant cannot be contained. For personal protection, see section 8 of the SDS.



Product Name:	Inject-A-Cide B™	Page 5 of 13
Methods and materials containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, immediate area). Take precautionary measures against s Use only non-sparking tools. Keep combustibles (wood, p away from spilled material. This material is classified as a under the Clean Water Act and should be prevented from or from entering sewage and drainage systems which lea Large Spills: Stop the flow of material, if this is without risk material, where this is possible. Cover with plastic sheet t spreading. Use a non-combustible material like vermiculit soak up the product and place into a container for later dis product recovery, flush area with water. Small Spills: Abs sand or other non-combustible material and transfer to co disposal. Wipe up with absorbent material (e.g. cloth, flee thoroughly to remove residual contamination. Never reture containers for re-use. For waste disposal, see section 13	tatic discharge. aper, oil, etc.) water pollutant contaminating soil d to waterways. k. Dike the spilled o prevent e, sand or earth to sposal. Following corb with earth, ntainers for later ce). Clean surface rn spills to original
Environmental precautions	Avoid release to the environment. Prevent further leakage to do so. Avoid discharge into drains, water courses or on Inform appropriate managerial or supervisory personnel or releases.	to the ground.
	7. HANDLING AND STORAGE	
Precautions for safe handling	Keep away from food, drink and animal feedstuffs. Keep of children. Do not handle, store or open near an open flame or sources of ignition. Protect material from direct sunlight general and local exhaust ventilation. Take precautionary static discharges. All equipment used when handling the p grounded. Use non-sparking tools and explosion-proof et breathe mist or vapor. Do not use in areas without adequa not get in eyes, on skin, or on clothing. Do not taste or sw do not eat, drink or smoke. Handle and open container wi appropriate personal protective equipment. Wash hands t handling. Avoid release to the environment. Wash contar before reuse. Observe good industrial hygiene practices. industrial hygiene practices.	e, sources of heat t. Explosion-proof measures against product must be quipment. Do not ate ventilation. Do allow. When using, th care. Wear horoughly after ninated clothing
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open f electrostatic charge build-up by using common bonding a techniques. Store in a cool, dry place out of direct sunligh tightly closed container. Store in a well-ventilated place. K equipped with sprinklers. Store away from incompatible m Section 10 of the SDS).	nd grounding t. Store in original Ceep in an area
8. <u>EXPOS</u>	URE CONTROLS/PERSONAL PROTECTION	<u>NC</u>
Occupational exposure limit US. OSHA Table Z-1 Limits f	s or Air Contaminants (29 CFR 1910.1000)	

ir Contaminants (29 CFR 1910.100	0)	
Туре	Value	
PEL	980 mg/m3	
400 ppm	C C	
Туре	Value	Form
TWA	0.05 mg/m3	Inhalable fraction and vapor.
STEL	400 ppm	·
TWA	200 ppm	
mical Hazards		
Туре	Value	
TWA	0.25 mg/m3	
STEL	1225 mg/m3 500 ppm	
	Type PEL 400 ppm es Type TWA STEL TWA smical Hazards Type TWA	PEL 980 mg/m3 400 ppm es Type Value TWA 0.05 mg/m3 STEL 400 ppm TWA 200 ppm rmical Hazards 7ype TWA 0.25 mg/m3 STEL 1225 mg/m3



Product Name:		Inject-A-Cide B™	-	Page 6 of 13
US. NIOSH: Pocket Guide to Components	Chemical H Type TWA	lazards	Value 980 mg/m 400 ppm	3
	Indices Value 40 mg/l	Determinant Acetone	Specimen Urine	Sampling Time
* - For sampling details, pleas	e see the so	urce document.		
Exposure guidelinesUS - California OELs: Skin designationDicrotophos (CAS 141-66-2)Can be absorbed through the skin.US - Minnesota Haz Subs: Skin designation appliesSkin designation applies.Dicrotophos (CAS 141-66-2)Skin designation applies.US - Tennessee OELs: Skin designationCan be absorbed through the skin.US ACGIH Threshold Limit Values: Skin designationCan be absorbed through the skin.US NIOSH Pocket Guide to Chemical Hazards: Skin designationCan be absorbed through the skin.Dicrotophos (CAS 141-66-2)Can be absorbed through the skin.				nation applies. sorbed through the skin. sorbed through the skin.
Appropriate engineering Controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.			
Individual protection measu	res, such a	s personal protective e	equipment	
Eye/face protection	Wear safe	ty glasses with side shie	lds (or goggles).	
Skin protection				
Hand protection		opriate chemical resistanded by the glove supplied		le gloves can be
Other	Wear appropriate chemical resistant clothing (see label).			abel).
Respiratory Protection	Wear posit	tive pressure self-contain	ned breathing ap	paratus (SCBA).
Thermal hazards	Wear appr	opriate thermal protectiv	ve clothing, when	necessary.
General hygiene considerations	good perso material ar	g do not smoke. Keep a onal hygiene measures, nd before eating, drinkin nd protective equipment	such as washing g, and/or smokin	g. Routinely wash work
9. PHYSICAL AND CHEMICAL PROPERTIES				ES
Appearance Physical state		Liquid.		
Form		Liquid.		

Color Not available.

Odor

Mauget

Not available.

Product Name:	Inject-A-Cide B™_	Page 7 of 13
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	100 - 109 °F (38 - 43 °C)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive	limits	
Flammability limit – lower (%)	Not available.	
Flammability limit – upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	2.13E-04 hPa estimated	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies) Solubility (water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Bulk density	9.9 lb/gal @ 20 C	
Density	1.19 g/ml @ 20 C	
Flammability class	Flammable IC estimated	

10. STABILITY AND REACTIVITY

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability Possibility of hazardous Reactions	Material is stable under normal conditions. Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding theflash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.



Product Name:

Inject-A-Cide B™

Hazardous decomposition products

No hazardous decomposition products are known. This product may emit hazadous fumes of hydrogen chloride, carbon oxides, and unidentified organic compounds when it is heated excessively or burned. WEAR SELF-CONTAINED BREATHING APPARATUS when these conditions are present.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Fatal if inhaled.
Skin contact	Fatal in contact with skin.
Eye contact	Causes eye irritation.
Ingestion	Fatal if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicologica Acute toxicity	l effects	Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed.	
Components Dicrotophos (CAS 141-66-2) <u>Acute</u>		Species	Test Results
Dermal LD50		Rabbit	876 mg/kg (males) 487 mg/kg (females) (Tox Category II)
Inhalation LC50		Rat	> 0.059 mg/l (Tox Category II)
Oral LD50		Rat	11 mg/kg (males)(Tox Category I) 8 mg/kg (females)
Skin corrosion/irritation		Not a skin irritant.	
Serious eye damage/eye irri	tation	Causes eye irritation.	
Respiratory or skin sensitization Respiratory sensitization Skin sensitization		Not a respiratory sensitizer. Skin sensitizer.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Dicrotophos has shown an increased incidence of thyroid follicular cell adenomas in male mice receiving 50 ppm dicrotophos, the highest dose level tested in a two year study. EPA's Cancer Classification o for Dicrotophos states only 'Suggestive Evidence of Carcinogenicity but Not Sufficient to Assess Human Carcinogenic Potential.' None of the following have classified Dicrotophos as carcinogenic: IARC, NTP, OSHA, or ACGIH.		
OSHA Specifically F	Regulated Su	bstances (29 CFR 19 [.]	10.1001-1050) Not listed.
Reproductive toxicity	Dicrotophos has shown effects on reproductive performance, pup survival and pup growth but only at dose levels (5 to 25 ppm) that also showed paternal toxicity in a rat multigeneration study.		
Specific target organ - toxicity single exposure	Not classified.		

Product Name:		Inject-A-Cide B™_	Page 9 of 13	
Specific target organ - toxicity repeated exposur		Not classified.		
Aspiration hazard	May be	harmful if swallowed and enters airways	i.	
Chronic effects	Prolong	ed inhalation may be harmful.		
	12. <u>EC</u>	OLOGICAL INFORMATION		
Ecotoxicity		Very toxic to aquatic life with long	lasting effects.	
Components		Species Test Results		
Dicrotophos (CAS 141-66-2 Aquatic	2)			
Crustacea	EC50 LC50	Water flea (Simocephalus serrulatus) Bluegill (Lepomis macrochirus)	0.21 - 0.32 mg/l, 48 hours 2.8 mg/l, 96 hours	
Isopropanol (CAS 67-63-0)				
Aquatic Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours	
*Estimates for pro	duct may be	based on additional component data no	t shown.	
Persistence and degradability	No data	a is available on the degradability of this p	product.	
Bioaccumulative potentia	I			
Partition coefficie	ent n-octan	ol / water (log Kow)		
Dicrotophos Isopropanol		2.45, (E-isomer) 0.05		
Mobility in soil	No data	a available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
	13. DIS	POSAL CONSIDERATIONS		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulation	s Dispose	e in accordance with all applicable regula	itions.	
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues unused products	retain so	of in accordance with local regulations. Empone product residues. This material and its co anner (see: Disposal instructions).		
Contaminated packaging	after cor	nptied containers may retain product residue, ntainer is emptied. Empty containers should b g site for recycling or disposal.		

Inject-A-Cide B™

14. TRANSPORT INFORMATION


Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Based on package size, product may be eligible for limited quantity exception.

DOT

DOT	UN number	UN3017
	UN proper shipping name	Organophosphorus pesticides, liquid, toxic, flammable, flash point not less than 23 degrees C (Dicrotophos, Isopropanol), MARINE POLLUTANT
	Transport hazard class(es)	
	Class Subsidiary risk	6.1(PGI, II) 3
	Label(s)	6.1, 3
	Packing group	
	Environmental hazards Marine pollutant	Yes
	Special precautions for user	Read safety instructions, SDS and emergency procedures before
		handling.
	Special provisions	IB2, N76, T11, TP2, TP13, TP27
	Packaging exceptions Packaging non bulk	153 202
	Packaging bulk	243
ΙΑΤΑ	IN number	1102047
	UN number UN proper shipping name	UN3017 Organophosphorus pesticides, liquid, toxic, flammable, flash point
	en hieher embhuig name	not less than 23 degrees C (Dicrotophos, Isopropanol)
	Transport hazard class(es)	
	Class Subsidiary risk	6.1(PGI, II) 3
	Label(s)	6.1, 3
	Packing group	
	Environmental hazards	No.
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Other information	i an an i gi
	Passenger and cargo	Allowed.
	aircraft Cargo aircraft only	Allowed.
	Cargo anciant only	Allowed.
IMDG		
	UN number UN proper shipping name	UN3017 Organophosphorus pesticides, liquid, toxic, flammable, flash point
		not less than 23 degrees C (Dicrotophos, Isopropanol), MARINE POLLUTANT
	Transport hazard class(es)	
	Class	6.1(PGI, II)
	Subsidiary risk Label(s)	3 6.1, 3
	Packing group	II
	Environmental hazards	
	Marine pollutant EmS	Yes Not available.
	EIIIS	Not available.
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	ort in bulk according to I of MARPOL 73/78 and Code	Not established.



DOT





Version 10/06/15

SARA 302 Extremely hazardous substance

Chemical name CAS number		Reportable Quantity		Threshold planning quantity, lower value	Threshold planning quantity, upper value		
Dicrotophos 141-66-2		100	100 lbs				
SARA : chemic	311/312 Hazaro al	lous	No				
SARA 313 (TRI reporting) Chemical name Isopropanol		ing)	CAS number % by wt. 67-63-0		Nt.		
Other federal regulations							
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated.							
Clean /	Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.						
Safe D (SDWA	rinking Water / .)	Act N	ot regulated.				
US state regulations US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed. US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Isopropanol (CAS 67-63-0) US. Massachusetts RTK - Substance List Dicrotophos (CAS 141-66-2) Isopropanol (CAS 67-63-0) US. New Jersey Worker and Community Right-to-Know Act Dicrotophos (CAS 141-66-2) Isopropanol (CAS 67-63-0) US. Pennsylvania Worker and Community Right-to-Know Law Dicrotophos (CAS 141-66-2) Isopropanol (CAS 67-63-0) US. Rhode Island RTK Dicrotophos (CAS 141-66-2) Isopropanol (CAS 67-63-0) US. Rhode Island RTK Dicrotophos (CAS 141-66-2) Isopropanol (CAS 67-63-0) US. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.							
International Inventories Country(s) or region			Inventory name	otrol	On inventory (yes/no)*		

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



No

Inject-A-Cide B™

16. OTHER INFORMATION

SDS Issue Date	September 17, 2015		
References	ACGIH®: American Conference of Governmental Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act EPA: Environmental Protection Agency FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act IARC: International Agency for Research on Cancer NTP: National Toxicology Program OSHA: Occupational Safety and Health Agency SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act DOT: Department of Transportation IMDG: International Maritime Dangerous Goods IATA: International Air Transport Association		
Version #	01		
Further information	Not available.		
HMIS® ratings	Health: 4 Flammability: 3 Physical hazard: 0		
NFPA ratings	Health: 4 Flammability: 3 Instability: 0		
Revision Information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Proper Shipping Name/Packing Group Haz. Reg. Data: International Inventories GHS: Classification		

