SAFETY DATA SHEET OnyxPro® Insecticide

SDS # : 6206-2-A Revision date: 2015-04-10 Format: NA Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			
Product Name	OnyxPro® Insecticide		
Other means of identification			
Product Code(s)	6206-2-A		
Synonyms	BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name)		
Active Ingredient(s)	Bifenthrin		
Chemical Family	Pyrethroid Pesticide		
Recommended use of the chemica	l and restrictions on use		
Recommended Use:	Insecticide		
Restrictions on Use:	Use as recommended by the label		
<u>Manufacturer Address</u>	FMC Corporation 1735 Market Street Philadelphia, PA 19103 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information)		
Emergency telephone number	For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect)		

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 2
Skin sensitization	Category 1B

	version 1
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Aspiration toxicity	Category 1
Flammable liquids	Category 4

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H301 - Toxic if swallowed

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H351 Suspected of causing cancer
- H370 Causes damage to organs
- H372 Causes damage to organs through prolonged or repeated exposure

Physical Hazards

H227 - Combustible liquid



Precautionary Statements - Prevention

P202 - Do not handle until all safety precautions have been read and understood

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P270 Do not eat, drink or smoke when using this product
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves

P281 - Use personal protective equipment as required

Precautionary Statements - Response

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

- P362 + P364 Take off all contaminated clothing and wash it before reuse
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention
- P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 Do NOT induce vomiting
- P330 Rinse mouth

P370 + P378 - In case of fire: Use Foam. Carbon dioxide (CO2). Dry chemical. for extinction

Precautionary Statements - Storage

P405 - Store locked up P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	23.4
1,1'-Biphenyl, bis(1-methylethyl)-	69009-90-1	30-40
Petroleum distillates, hydrotreated light	64742-47-8	10-20
Calcium dodecylbenzene sulfonate	26264-06-2	1-5

Synonyms are provided in Section 1.

	4. FIRST AID MEASURES
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	If swallowed, do not induce vomiting - seek medical advice Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects. Allergic skin reactions.
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media	Use CO ₂ , dry chemical, or foam.
Specific Hazards Arising from the Chemical	Combustible liquid
Hazardous Combustion Products	Toxic fumes may be produced.
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Not sensitive.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear.
	6. ACCIDENTAL RELEASE MEASURES
Developed Dressettions	Indiate and most smill area. Demons all assures of invition. Martilate the area, Mart suitable

Personal Precautions

Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

	Revision date: 2015-04-10		
Other	Version 1 For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.		
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.		
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.		
Methods for cleaning up	Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.		
	7. HANDLING AND STORAGE		
Handling	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.		
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in		

SDS # · 6206-2-4

Incompatible products

None known

original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m³ Skin	-	-	-

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.		
Skin and Body Protection	Wear long-sleeved shirt, long pants, socks, and shoes.		
Hand Protection	Protective gloves		
Respiratory Protection	For dust, splash, mist or spray exposures wear a filtering mask.		
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.		
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers		

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Physical State Amber, Liquid Liquid

OnyxPro® Insecticide

Color Odor **Odor threshold** pН Melting point/freezing point Boiling Point/Range Flash point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Density Specific gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing properties** Molecular weight **Bulk density**

Amber Hydrocarbon-like No information available 3.9 Not applicable No information available 73-75 °C / 153-158 °F No information available 8.59 lb/gal 1.031 @ 20 °C Emulsifies No information available No information available

SDS #: 6206-2-A Revision date: 2015-04-10 Version 1

10. STABILITY AND REACTIVITY

	Reactivity	Not applicable		
	Chemical Stability	Stable under recommended storage conditions.		
	Possibility of Hazardous Reactions	None under normal processing.		
Hazardous polymerization Hazardous polymerization does not occur.		Hazardous polymerization does not occur.		
	Conditions to avoid Heat, flames and sparks			
	Incompatible materials	None known.		
Hazardous Decomposition Products May emit toxic fumes under fire conditions. Carbon oxides (COx), Hydrogen of Hydrogen fluoride.				

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	153 mg/kg (rat)	
LD50 Dermal	> 5,000 mg/kg (rabbit)	
LC50 Inhalation	> 7.25 mg/L 4 hr	
Serious eye damage/eye irritation	Mildly irritating (rabbit).	
Skin corrosion/irritation	Severely irritating (rabbit)	
Sensitization	Sensitizer.	

Information on toxicological effects

Symptoms

Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SDS # : 6206-2-A Revision date: 2015-04-10 Version 1

Chronic toxicity Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage. Bifenthrin: Not genotoxic in animal studies. **Mutagenicity** Bifenthrin: Did not show carcinogenic effects in animal experiments. Carcinogenicity **Neurological effects** Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. Bifenthrin: No toxicity to reproduction in animal studies. **Reproductive toxicity Developmental toxicity** Bifenthrin: Not teratogenic in animal studies. STOT - single exposure Causes damage to organs. See listed target organs below. STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target organs below. **Target organ effects** Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably not of toxicological concern. Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which **Neurological effects** may disappear with continued exposure. Potential for aspiration if swallowed. Aspiration hazard

12. ECOLOGICAL INFORMATION

Ecotoxicity

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	μg/L

Persistence and degradability	Inherently biodegradable.		
Bioaccumulation	Bifenthrin: The substance has a potential for bioconcentration.		
Mobility	Bifenthrin: Immobile. Not expected to reach groundwater.		
13. DISPOSAL CONSIDERATIONS			
Waste disposal methods	Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.		
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.		

14. TRANSPORT INFORMATION

DOT	

USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D" transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond (new). Please prepare shipping documents to match the carton mark.

UN/ID no	UN3352
Proper Shipping Name	Pyrethroid pesticide, liquid, toxic
Hazard class	6.1
Packing Group	
Description	UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII

TDG UN/ID no Proper Shipping Name Hazard class Packing Group Marine Pollutant Description	The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable when shipped only by road or rail in Canada. UN3352 Pyrethroid pesticide, liquid, toxic 6.1 III Bifenthrin. UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant
ICAO/IATA UN/ID no Proper Shipping Name Hazard class Packing Group Description Limited quantity	UN3352 Pyrethroid pesticide, liquid, toxic 6.1 III UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant 611 / 60L
IMDG/IMO UN/ID no Proper Shipping Name Hazard class Packing Group EmS No. Marine Pollutant Description	UN3352 Pyrethroid pesticide, liquid, toxic 6.1 III F-A, S-A Bifenthrin UN3352, Pyrethroid pesticide, liquid, toxic, 6.1, PGIII, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	23.4	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Warning

May be fatal if swallowed. Cuases skin irritation and moderate eye irritation. This pesticide is extremely toxic to fish and aquatic invertebrates.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

[Chemical name	New Jersey	Massachusetts	Pennsylvania
	Bifenthrin	Х		
	82657-04-3			

International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Bifenthrin 82657-04-3 (23.4)				Х	Х	Х		
1,1'-Biphenyl, bis(1-methylethyl)- 69009-90-1 (30-40)	Х	X	X	Х	Х			
Petroleum distillates, hydrotreated light 64742-47-8 (10-20)	Х	Х	×	Х	X	Х	X	Х

Mexico - Grade

Serious risk, Grade 3

WHMIS Hazard Class

B3 - Combustible liquid D1B - Toxic materials D2B - Toxic materials





16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 2	Instability 0	Special Hazards -		
HMIS	Health Hazards 3*	Flammability 2	Physical hazard 0	Personal Protection X		
NFPA/HMIS Ratings Legend * - Chronic hazard						

Revision date: Revision note 2015-04-10 Format Change **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved. End of Safety Data Sheet